

**Notice of Allowability**

Application No.

10/696,055

Examiner

Phuong Phu

Applicant(s)

NAKAYAMA, TAKASHI

Art Unit

2611

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the Amendment filed on 4/17/07.
2. ☒ The allowed claim(s) is/are 1-32.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |   |  |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892)  | 5. <input type="checkbox"/> Notice of Informal Patent Application                      |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)  | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____. |
| 3. <input checked="" type="checkbox"/> Information Disclosure Statements (PTO/SB/08),<br>Paper No./Mail Date <u>1/29/07</u> | 7. <input type="checkbox"/> Examiner's Amendment/Comment                               |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material                  | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance   |
|   | 9. <input type="checkbox"/> Other _____.   |

### **DETAILED ACTION**

1. This Office Action is responsive to the Amendment filed on 4/17/07. Accordingly, claims 1-32 are currently pending; and claim 33 is canceled.

### **REASONS FOR ALLOWANCE**

2. Claims 1-32 are allowed.
3. The following is an examiner's statement of reasons for allowance:

-Regarding to independent claim 1, none of prior art of record teaches or suggests a circuit for detecting a shifted frequency, comprising: a plurality of finger processing units; a phase difference measuring unit for measuring a phase difference from each phase variation component by each of said finger processing units; a path timing difference measuring unit for measuring a periodical path timing difference depending on a delay profile; a frequency error detecting unit for detecting a frequency error of a signal by using said path timing difference and said phase difference; and a Doppler frequency detecting unit for detecting a Doppler frequency on the basis of said frequency error.

-Regarding to independent claim 13, none of prior art of record teaches or suggests a method for detecting a shifted frequency, comprising the steps of: measuring a phase difference from a phase variation component based on a finger processing; measuring a periodical path timing difference by a delay profile; detecting a frequency error of a signal by using said path timing difference and said phase difference; and detecting a Doppler frequency on the basis of said frequency error.

-Regarding to independent claim 25, none of prior art of record teaches or suggests a portable communication apparatus having a phase difference measuring unit for measuring a

Art Unit: 2611

phase difference from each phase variation component by each of a plurality of finger processing units; a path timing difference measuring unit for measuring a periodical path timing difference depending on a delay profile; a frequency error detecting unit for detecting a frequency error of a signal by using said path timing difference and said phase difference; and a Doppler frequency detecting unit for detecting a Doppler frequency on the basis of said frequency error.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Phuong Phu whose telephone number is 571-272-3009. The examiner can normally be reached on M-F (8:00 AM - 4:30 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on 571-272-2988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2611

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Phuong Phu  
04/26/07

**PHUONG PHU**  
**PRIMARY EXAMINER**

Phuong Phu  
Primary Examiner  
Art Unit 2611